

Certificate of Analysis

Company Name:	Biotics Research Corporation	Product Code(s):	2900; 2901
Product Name:	Bio-Cardiozyme Forte	Expiration Date:	29-MAY-21
Batch / Lot #	902028	Size /Form:	OO' clear/clear
Product Description:	Hard Gelatin Capsule	Avg. Capsule Weight	887 mg
Appearance / Color:	Off white to Light brown w/dark specks		
Packaging:	White HDPE w/PS liner and safety neckband		

<u>Active Ingredient:</u>	<u>Four Capsules contain:</u>	<u>Claim</u>	<u>Result</u>	<u>Method</u>
Vitamin A	5,000 IU	5,000 IU	5,000 IU	input
Vitamin C	120 mg	120 mg	155 mg	HPLC/Titration
Vitamin D	200 IU	200 IU	200 IU	input
Vitamin E	30 IU	30 IU	30 IU	input
Vitamin K	10 mcg	10 mcg	10 mcg	input
Thiamin	2 mg	2 mg	2 mg	input
Riboflavin	2.3 mg	2.3 mg	2.3 mg	input
Niacin	20 mg	20 mg	20 mg	input
Vitamin B ₆	15 mg	15 mg	15 mg	input
Folate	400 mcg	400 mcg	400 mcg	input
Vitamin B ₁₂	30 mcg	30 mcg	30 mcg	input
Biotin	300 mcg	300 mcg	300 mcg	input
Pantothenic Acid	10 mg	10 mg	10 mg	input
Calcium	60 mg	60 mg	60 mg	input
Magnesium	120 mg	120 mg	124 mg	ICP
Zinc	5 mg	5 mg	5 mg	input
Selenium	50 mcg	50 mcg	50 mcg	input
Copper	1 mg	1 mg	1 mg	input
Manganese	2 mg	2 mg	2 mg	input
Chromium	50 mcg	50 mcg	50 mcg	input
Potassium	99 mg	99 mg	99 mg	input



Taurine	200 mg	200 mg	input
L-Carnitine HCl	30 mg	30 mg	input
L-Methionine	25 mg	25 mg	input
L-Lysine HCl	25 mg	25 mg	input
N-Acetyl-L-Cysteine	10 mg	10 mg	input
Neonatal Heart	100 mg	100 mg	input
Lamb Pituitary/Hypothalamus Complex	10 mg	10 mg	input
Neonatal Adrenal Complex	10 mg	10 mg	input
Neonatal Pancreas	10 mg	10 mg	input
Hawthorne	50 mg	50 mg	input
Vanadium	5 mcg	5 mcg	input
Octacosanol	500 mcg	500 mcg	input
Coenzyme Q ₁₀	1 mg	1 mg	input
Superoxide Dismutase	20 mcg	20 mcg	input
Catalase	20 mcg	20 mcg	input

	<u>Evaluations</u>	<u>Specifications</u>	<u>Results</u>
Disintegration:		<45 minutes	pass
<u>Microbiology</u> ⁽¹⁾ :			
Escherichia coli		Negative	pass
Listeria		Negative	pass
Salmonella		Negative	pass
Staphylococcus aureus		Negative	pass

Appearance:

Color	normal
Fill Volume	normal

⁽¹⁾ USP <2023> **Negative** means not detected in 10 g or 10 mL for Salmonella spp. and not detected in 1 g or 1 mL for E. coli, Listeria and S. aureus.

MAY 29 2019

Manufactured Date

m [signature] 5/29/19
Prepared by/Date

[signature] 5/29/19
QA Review by/Date