

Certificate of Analysis

Company Name:	Biotics Research Corporation	Product Code:	1012
Product Name:	Bio-D-Mulsion Forte	Expiration Date:	30-Oct-20
Batch / Lot #	910071	Size / Form:	1 fl.oz. (30 ml)
Product Description:	Liquid		
Appearance/Color:	Tan-cream		
Packaging:	1.oz. Boston Round white LDPE bottle w/ dropper tip and cap		

Each drop (0.04 ml) contains:

<u>Active Ingredient:</u>	<u>Claim</u>	<u>Result</u>	<u>Method</u>
Vitamin D	2,000 IU	2,640 IU	HPLC

<u>Evaluations</u>	<u>Specifications</u>	<u>Results</u>
Microbiology ⁽¹⁾ :		
Escherichia coli	Negative	pass
Listeria	Negative	pass
Salmonella	Negative	pass
Staphylococcus aureus	Negative	pass

⁽¹⁾ NHPD, Evidence for Quality of Finished Natural Health Products, (2007), Section 2.4.3, Appendix 2 and 4
 Negative means not detected in 10 g or 10 mL for Salmonella spp. and not detected in 1 g or 1 mL for E. coli, Listeria, and S. aureus. cfu refers to Colony Forming Units per gram.

OCT 30 2019

Manufactured Date

Amelida Gonsales 11/4/19
 Prepared by/Date

[Signature] 11/4/19
 QA Review by/Date