



Certificate of Analysis

| | | | |
|----------------------|---|------------------|-------------------|
| Company Name: | Biotics Research Corporation | Product Code: | 1007; VD1520; |
| Product Name: | Bio-D-Mulsion | | 1007-H |
| Batch / Lot # | 002023 | | |
| Product Description: | Liquid | Expiration Date: | 13-Feb-21 |
| Appearance/Color: | Tan-cream | Size / Form: | 1 fl. oz. (30 ml) |
| Packaging: | 1 oz. Boston Round white LDPE bottle w/ dropper tip and cap | | |

Each drop (0.04 ml) contains:

| <u>Active Ingredient:</u> | <u>Claim</u> | <u>Result</u> | <u>Method</u> |
|---------------------------|--------------|---------------|---------------|
| Vitamin D | 400 IU | 601 IU | HPLC |

| <u>Evaluations</u> | <u>Specifications</u> | <u>Results</u> |
|--------------------|-----------------------|----------------|
|--------------------|-----------------------|----------------|

Microbiology⁽¹⁾:

| | | |
|-----------------------|----------|------|
| Escherichia coli | Negative | pass |
| Listeria | Negative | pass |
| Salmonella | Negative | pass |
| Staphylococcus aureus | Negative | pass |

⁽¹⁾ NHPD, Evidence for Quality of Finished Natural Health Products, (2007), Section 2.4.3, Appendix 2 and 4
 Negative means not detected in 10 g or 10 mL for Salmonella spp. and not detected in 1 g or 1 mL for E. coli, Listeria, and S. aureus. cfu refers to Colony Forming Units per gram.

FEB 13 2020

Manufactured Date

Brenda Bullard 2-19-20

Prepared by/Date

m e P S 2/19/20

QA Review by/Date