



The Best of Science and Nature

### Certificate of Analysis

Company Name: Biotics Research Corporation  
Product Name: Bio-K-Mulsion  
Batch / Lot #: 902008  
Product Description: Liquid  
Appearance/Color: Light yellow cream  
Packaging: 1 oz. Boston Round white LDPE bottle w/ dropper tip and cap

Product Code: 1011  
Expiration Date: 8-FEB-20  
Size / Form: 1 fl. oz. (30 ml)

<u>Active Ingredient:</u>	<u>Each drop (0.04 ml) contains:</u>	<u>Claim</u>	<u>Result</u>	<u>Method</u>
Vitamin K	500 mcg	500 mcg	603 mcg	HPLC

<u>Evaluations</u>	<u>Specifications</u>	<u>Results</u>
Microbiology <sup>(1)</sup> :		
Escherichia coli 0157:H7	Negative	pass
Listeria	Negative	pass
Salmonella	Negative	pass
Staphylococcus aureus	Negative	pass

<sup>(1)</sup> NHPD, Evidence for Quality of Finished Natural Health Products, (2007), Section 2.4.3, Appendix 2 and 4  
Negative means not detected in 10 g or 10 mL for Salmonella spp. and not detected in 1 g or 1 mL for E. coli, Listeria, and S. aureus. cfu refers to Colony Forming Units per gram.

FEB 18 2019

Manufactured Date

Patricia Dyles 2/18/19  
Prepared by/Date

m. [signature] 2/18/19  
QA Review by/Date